
)-A116 !	!	ARMY TR WORD CR SEP 81	A A L	ITY ANA	PMENTS	INST (FORT MO 53w. SK	NROE V	A VEL 1 4	2.(U)	F/G S	5/9
UN	ICLASSI	FIED	MOS-63W						,			NL.	
	10 1 	a.					1.	2,000	4:	ī			
		ī	* :	# ·		- 2 H		· 5		ģi.	-		3
		END Sec. A.		ı	'			•		'			

DTIC FILE COPY

AD A116517 HEADQUARTERS

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651



DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered) READ INSTRUCTIONS
BEFORE COMPLETING FORM
3. RECIPIENT'S CATALOG NUMBER REPORT DOCUMENTATION PAGE REPORT NUMBER 63 W 4. TITLE (and Subtitle) S. TYPE OF REPORT & PERIOD COVERED Word Criticality Analysis Final MOS: 63 W 6. PERFORMING ORG. REPORT HUMBER Skill Level: 142 7. AUTHOR(4) 8. CONTRACT OR GRANT NUMBER(s) Dr. Alexander A. Longo 9. PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Training Developments Institute ATTN: ATTG-DOR Fort Monroe VA 23651
11. CONTROLLING OFFICE NAME AND ADDRESS 12. REPORT DATE Training Developments Institute ATTN: ATTG-DOR 10 Fort Monroe, VA 23651

MONITORING AGENCY NAME & ADDRESS(II dillorent from Controlling Office) 18. SECURITY CLASS. (of this seport) Unclassified 154. DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution is unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Black 20, if different from Report) 18. SUPPLEMENTARY NOTES 13. KEY WORDS (Continue on reverse side if necessary and identify by block number) MOS Vocabulary Readability Comprehension of text Curriculum Development us an severae side if negressay and identify by block number) This report contains terms selected as having some degree of criticality in the training/performance of tasks contained in the respective MOS Soldier's Manual (SM). These critical words were selected by subject matter/job experts knowledgeable in their MOS. The vocabulary set used as the basis for critical word analysis was the Word Frequency Report based on the SM for the same MOS.

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS GESCLETE

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (Man Date Entered)

,#

Contents and General Information


- 1. The Word Criticality Analysis (WCA) reports were reproduced exactly as generated via computer printout. The prime users of this document were fully cognizant of its contents and required no special instructions for interpretation. However, for the sake of other readers, the following brief description of contents is provided.
- 2. The WCA reports for most MOS are divided as follows:
 - o Skill Level I
 - o Skill Level II

However, due to the way some Soldier Manuals are constructed, the WCA for some MOS have both Skill Levels merged into one report. Each Skill Level is subdivided into two sections.

- a. <u>Introductory</u> these MOS critical words, identified by the code "TRN", represent terms unmatched on the master tape for that MOS. (Reasons for this include: words volunteered as critical; keypunching errors; updating master tapes per changes in SM, etc). <u>NOTE</u>: The number to the left of each critical word is its criticality index defined below.
- b. Main these MOS critical words are ranked alphabetically within a criticality index (defined below) that also is ranked from 1-5. The numbers to the right of the critical words represent the SM page on which that term appeared and its frequency of appearance. Example "222,4" is interpreted as: "4 times on page 222". NOTE: Due to computer programming/sort difficulties, the accuracy of correct page referencing is only approximately 80% for most reports. Improvements in programming and coding increased this accuracy to 95% in those reports completed last (i.e., dated Jan-Mar 82).

3. Word Criticality Index:

The following 5 point rating scale was used by a team of up to 3 subject matter experts from Army MOS proponent schools to rate each word selected as having some importance for training/performing a critical task:




HEADQUARTERS

UNITED STATES ARMY TRAINING AND DOCTRINE C

FORT MONROE, VIRGINIA 23651

ORAD



7	A brancon -	TOTAL STREET	EQUENTIAL DATA	20 C P 40 H		PAGE NO 2	TYPE RECHA		7
	S ABSORBER • '						tan Tan Tan	26 26	
	E CARBON + S CENTER +						TRK TRK	26	
· 1, 1	COARSE .					Commence of the Commence of th	TRN TRN	26	
-	COOLER .	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					TRN TRN	26 ·	٠.
	\$ FIGURE *						TRN TRN TRN	26 20 20	
	CASH •					-	TRN TRN	26 26	
	I CEADS +				and and the second	and the state of t	TRN TRN	, 20 26	_
#	# HUSHROOMED			THE RESERVE OF THE PARTY OF THE			TRK TRK TRK	26 26	_
•	PS1 +						TRN TRN		
•	A ROD. •				•		TRM TRK	26 26	
*	S WIRE +				en.		TRN TRN	26	
	MANUE BEAD	4944	2	TRAMA RBAD LARCE	461	uppatèb Récor ERRCL	· ·	.	
	CRECL SURSIZE	27 2120 No. of the last				ERECL STREET	3134		-
			A Property of the		**************************************				_
		a de la companya de l	•						
· .		and the second		4.4					_
	· •————			<u> </u>		<u> </u>			
		\$27 TE SE					·····		_
	•								
							-		
				·			•		-
<u>. </u>					· ·- ··				4
									_

SYNCSORT IV-ARD-A-HALF COPPRIGNT WHITLOW COMPUTER SYSTEMS: 11 REL 2.5EN DATE-02/014 TINE-14:11.25 SYNCSORT IV-ARD-A-HALF COPPRIGHT WHITLOW COMPUTER 1/2568; INC. 1676

SORT PIETOS-1; 35166A

WER1360 DCD PARM MISSING WHITE BE
WER1600 CORE AVIL CITAGO AND HAR SUBBLE BELLOW HER 1910 SECUMDARY EXTENTS OBTAINED DOO

WERC260 B - 0246

WERC260 B - 0266

WERC260 TO THE MAD ON THE WERC260

WERC260 B - 0266

WERC260 TO THE SOURCE BENEFIT OF THE WERC260 THE SOURCE BENEFIT OF TH * ÷ ... 4 100 · · · · Ö b . ંડ

•

113081110	and Carlo Laboration	11961 179 179 179 179 179 179 179 179 179 17	,
HEADERS !	ds word List by PAGE! TO So	*	
2 61 45	ENORUM FOR ACT T MOVE I TO WITCH HOVE SPACE TO INT		<u> </u>
IP I NE HI	## GBACK 1 TO HISS NOVE SPACE TO 1)! 1 MOVE 1 TO HISS NOVE SPACE TO 1) 28 00 00 10 28 00 00 1 TO 20 00 MOVE 1 TO 20 00 MOVE 1 TO 1) 29 GOSACK	1) 1 HUVE B. 70 4522	
# R48 a	Hove 24 to 41.0 GOACK		·
R70 -	Hove as to 10 to Godack	AND THE RESERVE OF THE PROPERTY OF THE PROPERT	
R100 a	TRANSPORT TO THE PROPERTY OF T		
HUVE SPACE	TO \$5130 10 10 10 10 10 10 10 10 10 10 10 10 10		
HOVE 24 TO		CHORD S. C. STOURT OF	
			p
7.5.50			
	A STATE OF THE STA		
<u> </u>			
,			
			
•			
		and the second s	
	•		
• •			

E.

i é d i i è i		tepastepa ste		40.00			1188		
ODNAME	1/0-		•	unit vitalit	· · · · · · · · · · · · · · · · · · ·			<u>.</u>	******
A STSPRI	INT		3.	141 3000 3000	1 4				
SYSUDU SYSUDU SYSUT1	JMP 1509	0 52	1136 PK PS	643 TAB LIGHTHIL		tiainealys	ñżadia: kvána, tm	BRAINT PRINT	
A HILL	498		***			373020141	070914, RV000.TM 070914, RV000.TM	ER0197.R00016	34
· 2		A STATE OF A			TO SEE	Kr.A.			
<u> </u>	. ज्योह		20.70.70			****			
		Section 1		,					,
4.		TAT A	1.1						
. /	:45a.		A , y ,	- 10 TO 10 T		A STATE OF THE STA	· ·		
9. •	y	74.0				कार पर पर ।	~~~~~~		
		4.0		A September 1		1. The same of the			
	•						•		
*.				11.		3.18° 25	•		* ***
	· · · · · · · · · · · · · · · · · · ·				خسب المشاسب				~
7/									
				•				•	
-				<i>z</i>	• •	*			
									
				•		•			
•									

A SECTION OF THE PERSON OF THE

/ ** -c		A P TOURNEY TO SEE	HHS WORD CIST BY PAGE	DATE 82014 1411 PAGE 1
	ACIONMENT ALIMED ALTERNATOR	de seri		
İ	BEARINGS BEARINGS	2: 43,2 2. 42;2 2: 17,1	2- 8477 2- 1979	
Ž.	BRAKES CONTROLS OXYACETYLENG		- 2 - 1 1 1 1 1 1 1 1 1 1	314 10-3103
1	DXYGEN PAN	2: 60.1 2: 31,1 2: 26:1	22 TIST	
	PROPELLER ROCKER SECURE		The state of the s	III Comment
	SECURED SECURING	2. 28,1 2. 22,1	24 90;1	,
- A	SPECIFICATIONS			
	TENSIONER TOLERANCES TRANSPER	3 99, 1, 22 94) i 6 26)	21.0404	
6 l	TRANSMISSION 4			7.50 - 5 100 1 1 100 1 2 - 92.7
į	ACCELERATOR ACTUATING ACTUATOR	1. 37,1 2. 31,1 14 14,1		3)1 (* 20)7
	ADJUST ATR-ACTUATED &	in the line	W IN THE SECOND	
•	APPLIED APPLY ASSEMBLY	\$ 4451	2- 1071	4.
福司		The least		
*	BELTS BLOCK ING BRACES BRACKET	\$ 47,1 8 20,1 4 50,1 8 50,2		
	BRAKESHOES BULKHEAD BARBUREYOR	00 1971 - 6= 2172 10 1971 - 1 10 1971 - 1	zi boji ti boji	
i	CAUTION CHOCKED CLEARANCE	2. 20,1 2. 19,1 2. 23,1 2. 22,1	2- \$2;7 2- [4.]	
	CLUTCH	16 20) 4- 22/1 16 07/1 1- 20/4	ž- 9277 ži 4970 ž- 42,1 ž- 40,1 ž- 9	9.1 t- 99.t

		•	. 7	•		HHS	WOŔĐ	Etst by	PAGE	•		·			DATE B20	14 14	1 PAGE	2
	COOLANT DIFFERENTIAL EXMAUST		L.		33,1					11:						-		
-	EYEBOLTS FLYWHEEL 		40		26/1	2- 157		l - 4851	1 å-1ċ) ; 2					 -			
	GOVERNOR GROUND HANDBRAKE	12			1931	# 18	, G. 4	11114	1.44), <u> </u>	4					***		***
•	HANDTOOLS HEAD		31,		Anid		· 	L M. 24	:	فنا	المفاهدة		4624	-žu-lij	l . 44 lo sá	i -	0. i	
	: WYDRAULIC LEAKS LUBRICATING MAINTAIN					, 15. H				THE STATE OF THE S			10>>		2			
i	HAINTENANCE			1 2	1071	2- 12			1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2- 601 2- 331 2- 221	24	39; 1 33; 1 20; 1	2- 91/ 2- 91/ 2- 107	1 2- 30,1	2-	47/1 29/1 10/1	
	HANTFOLD					78 BO	: 1		- I - I	الله الله	10 121	1.	111	-12 195	<u>.</u> []+-46 ;2	. 2-	44/2 -	
				3 2	40/1	2- 19 24 21		- 2218	2- 20	3,2 3,1	2- 31) 2- 18,		10,2	1: 18:	2- 20,2		26, j 13, 7	
-	HANUALS HOUNTS NEUTRAL	F 1 11			3751	, 5a, 26	1	FIRE		bs (૽ ₈₎	20, 11			, s	· 、 ·			
1	DIL PERFORMANCE	3 2 2 1	- 40		39/1 60/1	24 17 2- 10			1 - 40 2 - 51	5) 2) 1)	2- 311 2- 311	2.	10,	12 17s	i - t- t s, i		44,1	
و د					22)2.	24. FO	11		6.16.10), j	20. [4]		14) [£5-11)	24 10,1	2-	97 î	
	PRESSURIZATION PRIMER PULLER				1931 -4431	- 2ú 8£	; } { -	14 1011) <u>, 1</u>	a 2 ' 2 5 .							
•	RÉFÉRENCES				2511	20 10); };					21 25,0 21 25,0 2		411 5414 9015	
	RETORQUE RIGOTING		17						 .			,						
	RING ROLLERS 			1.	14;1	ź- 1 2	;† 									<u>.</u>		· ·
	SAFETY SEAL — SEALS]- 33 - 49 - 1 7	2	11,1	2- 17 2- 17	: 1				··		··· -					
	SEAT SERVICEABILIT	ν		;	. 61)1 		ïi	·					-		w + · · ·			

		-	(2 A	· .				1 akou			gt	-						DATE	1 6201	14 1411	PAGE	_ 1
劉	'SERVICEABLE 'SHIPTER	4 ***			1 111		317 	CAS AT				39.1										
	SOLVENT SWITCH		2- 33/ 2- 33/),4 2:	- 46/1																	
	TACHOMETER TECHNICAL				19:4	\$ 6 2 4	1111		111		1	li.		. £4	201	Į:	16/1	ž- 2-	17:4	2- 16 2- 35	j, ž	_
!	THERMOSTAT		24 39/ 24 35/ 24 7/		- 33/1	- 2A 2-	\$2,1	3-	· jiii	i į	± 28,4 - 49,2	g 2 ↓ }	- 26)2	21	* 2515	<u>}</u>	-2 4) j.	2+	-di)]	2- 60	vi	-
	TRANSHISSION UNSERVICEASES VALVE	19			n Jest	Į,	luit) (e	M	1	1811	**************************************	int	20	1472	28:	sitt	<u></u>	86;1			·
	NETDING		2: 60; 24 92;								,		1						<u>.</u> .		****	
, T	ABSORNERS - ACCORDANCE	1				1	idil.		W		1331	1	111		1111	11:	1311	\$4 24	11:1	2- 10: 2- 46:	e i	
	ACTIVATE		20 94) 20 26, 80 55,		= 49]1 = 25]1	2*	11		77#		35) }	24	-331 [64	-3 11 [-		-303 <u>{</u> -	<u></u>	243{-	2- 28) 1 · · · · -	
N.	w s walled				453971 -	18 3 3 3 19 3 1 18			19			3	100 mg		λ.	- 19-1 -2	- (j., a					
1	ASSEMBLE ATTACH ATTACHED		2 11	2-	- 26;1	Ż+	1751				- 61/1	2-	9875	Žà	9611		·					
	AUXILIARY AXLE BATTERIË\$					\$±	1851			11:	1:11	· 26	1411	t la	1431	je.	1431	:				
,	BLOCKED		12 19) 14 13) 14 13))	= 33;1- - 46,1		1437	į.	T	1	33/1	Ž÷	26/1		2511		Ini	2- 1	17.1	2- 16/	·i	
	BOUM BRACKETS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				ZA		1	1811	8	i 26, 1	3	-tin-								-	
1	CABLES CAPSCREWS	1	t i (2) l- 29, l- 22,	}\ \ \ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	= 2011 - 63,3 - 43,1	2÷	\$159- \$151 42.1		14,1	-1	39.1		33,1		- 11 51 ~	<u>}-</u> -	-Jijt-	2=- ;	Ž911 ··	**	.e. 1	
	CHAMBER CHISELS CLEVIS																					
-	COMPONENTS COMPRESSOR	2 2	# 147 1- 13, 1- 13,	,1 2- ,2	- 11/1					 .	-		•- •									
	CONNECTIONS COUPLING	2		ii	- 22 , 1 ··	5#	· 1051		 													
					*******	• .	-				•		-									
,					· · · - ·				-													

,						bab tist by					DATE BEGI	1411 PAGE	4
	CALTHOEK					R III	a de deil	24 9611	- 2a 4631	1	_	•	
	DAMAGE DECK					- Halver							
7	DEPRESS .												
	DÉTERMINED DIESEL DIRECT		24 40, 1 20 92, 1	ما المعالمة	علك ليساللفن		<u> </u>						-
PT 18	DISABLED - DISCONNECT-	B 12(4)	1: 72,1	22 3456	17 121	1- 61 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 02) 1 18 2 1818	1: 12:2	ti leit	ti skil			
و د	DISCONNECTED				57 PEST	16 [141	i. 12,3577	# 15 ESST	1: 111				
- ;	DISENGAGE DRAINED 			2- 47,1	2: 16:1		12 1451						<u>-</u>
*	DRUM ELECTRIC	17:32		医性别			1			1			
	- ELECTRICAL - EMERGENCY ENGAGE		30,	2- 2251	84 B\$:T	States .							
3	ENGINE ENGINE EXCESS	A. C.	Pil	AL AL		STAIN.	38 185 L			e k int	. ta bert	2- 44/ī	
	PILTER	1 Visible	75 135 1- 135	2- 13:1	1:02 -5		***	1		No Calibria	<u> </u>	······································	
191	FORCING —FRICTION——— FUEL		1- 11: 12:18:	Mark Marie	". Sa. Saff	en mi	THE COLE		·				
	GASKETS - GASDLINE	4.0	******				E.E. Mark			· · · · · · · · · · · · · · · · · · ·	 -		
ij	GEAR HOIST 		14,	24 11 4 24 90 1	ź- [9]] 2- [9]]	2- 28,2	\$£ \$0,4 2- 26,1	2- 2011	2+ 17/1	2- T611	2- 11-4		
: i	HOSES HOUSING - MIS			e 18:1	20 1937	is the	in this	1011	A ()				
	IDLER INLET		2- 44) 2- 49,	2- 39,1									
	- INSERT INTAKE JACK				2- 36;T	24 2931	Tell Tell Tell Tell Tell Tell Tell Tell		•				
	JACKSTANDS LEVER		20-337 2- 167 2- 227	 	2- 5255					 4 - 8 4 - 4		• •	
70	LOUSEN		4- 447	3-40,2	2 3721 2 221	2- 4011	2- 37,1 = 30,1	2- 3111 22612	2- 29/1 2+ 24/1-	2- 24+1 			
	LUBRICANTS		£ 5111		· · • · · ·				•		-		
										.			

11
1 2- 20/1 2- 20/1 2- 20/1 2- 20/1 2- 20/1 2- 20/1 2- 20/1
oi ž- 1501
A Company of the Comp
i i
A B As I
01 1- 2011 01 14 2011 to 9111
il variatit de alit de dail de dail de dail
\$ 1
oj 84 A611 2m 4415 24 4715 2m 4912 2m 91/2
the second secon

		<u> </u>	77.54	- 153° 	MHS WORD CIST BY PAGE	DATE 82014 1411 PAGE &
	TRANSHITTER U-BOLTS					
1	VENTILATOR- WASHER WASHERS		2	101 2: 43	à.	
1	WEAR WRENCH YOKE	939	Zi	W. E.J	in the second of	2651 #2 2251 E- 17-1
<u> </u>	-ACCESS		No.	13,1 2- 10, 60,1		1 2951 24 2452 24 2551 - 2- 2257 · · · ·
ET	ATTACHMENT BLOCKS		43 44-	60, 1 13, 1 - 2, 14, 30	it - it fift- fluidiff and that - declar	
	BLÖCKS BODY BRUSH		要从			
	BUMPERS CHAIN	•	:	1611 1 1 30	1 1 1672	
	CHECK CHECK CHECK	1,40	MI	ill stat	ii lii gkiii saan saa	A STATE OF THE STA
-;	CHIPPED	_ it i i i i i		4	The second secon	- CANADA (2018)
-	CLAMP CLAMPS			92)2 93)1 (2= 3).	1 2- 1477	
	CLEAN CLEANER			11 21		
	COMPOUND COMPRESSOR—	0-49586	dt.)		
	CONTAINER	· W	yrii:			Salar Salar K
	COVERS :	W 5 (6)		11,121-11	11-24-9611	The state of the s
•	CREW		, ;;	12,1 33,1		
	DISCARD DIVIDER		ME !			10 (10 10 10 10 10 10 10 10 10 10 10 10 10 10 1
	DRIVE			11,1 2- 52	1 -2 + 4575	- 91 78 - 94 - 95/2
-	DRIVEN	- , -, -	14 - 33 80	42,1 57,2 ; 21 59,		
:	FLEXIBLE GEARBOX GLOVES		<u> </u>	57,8 22 50.	31	· · ·
1	GRIND GRINDER		2.	? };;		•
	HAMMER					
		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	
٠						

À


· · ·	3	- CRIMERON		() 3 3 (4)			MHS W			PAGE					DATE 8201	4 1411 PAGE	7
7	HORÍZONTÁL INDICATOR INDURY	1		4 4 400	12 463	1 1	1 1071					i i i i i i i i i i i i i i i i i i i					
	INSPECT. LEVEL		- i	1	- 33; - 33;	ź ż.	102					ź+ 9111	2- 43il	ž- 40i6			
7	LIPTED LIPTING	100		3	i. 311 <u> : </u>			1. 1	-46/1 18/1		472- 851 :	få 93/1	14 45/1	- 24 41)4	22 2011	2- 26,1	
	LIGHTS LINK.	` '	: 15		£- 20;	••	: \$457	źi	3451							· · · · · · · · · · · · · · · · · · ·	
4	HANIFOLD-TOX HEASURING			-30 +	l. vii	1				100		er various i	E-11/2				•
4	PANELS PIN PINS								1031					,			
	PINTLE PIVOT POSITION	7.		7 13.	14, 993	1 2			diri.	1.	1)1	£4.0012	la ssil	. 22 9219	. ž= 47,1	2- 44/T	
4	POWER REASSEMBLE		. 55	ī	2- 19 3 2- 52, 2- 28,	1	- \$6.0 20.1		4075	į: j		zā toil.					
5.3 °.	REMOVAL		M			4) S } }	12 1911		, is its	2. 33.1	2- 31+i	
	RêHOYER REMUYER REPLACE			.1 .	22:493 & 165		i-tiff Lijt	22	- 1251 Liid	# 12 4 1: 1:	øsi-i ≀∕ż	- 24-99) - 2= 16/4	- 64-9131- 2- 9,2	- 25-2631 2- 7;2	 1 4- 24 2- 49/1	ž- 47/2	
100 m	REPLACEMENT			全		***						13 133				- 2= 30,5 2- 13,1	
4	SCREWS	7. (14 10 14 10	1		i 2: i	. 20,	- 1	W.	2- 2)	20- 59) [- -	24-573 2-	- [4:]]]	- 2 4-557[2= 31/i	
	SHACKLES SHIFT	4.0				1 1 2 1	1:33	1.	A STE	11 1), i	tut et	ŽA. 363 1	1			
	SHIFTING SHUCK UNBOLT	."	6 35 6 22		2- 25;						•						
7	ACCOUNT ACCOUNT	4.5	Fi		L 19;	1 2-	· tosi	16	11/1							-	
1	CARGO		13 96 10 35 10 17	2	t≐ 92j 2- 33, 2- 16,	1 2.	- 1151			2- 2	1,2	2- 11/1	2- 14/2	2- 13/1	2- 22,5	2- 18/3	
1	CARRIER CHAINS CODLING				l40 <i>i</i>		+31		,								,
						·- - -							··-				
हार । ५ •	····																

11 日本人

· · · · · · · · · · · · · · · · · · ·	•		mit usa päää au Baia	BATÉ ÉZÖL- 1-11 PAGE S
20.25.21		Da Co a sund i Ke	MHS with CIST OF PAGE	THE STATE OF THE S
BASH DEPTH	**			
S EDGES		2- 51,2 8- 49,1		
9 ELBOWS		11 	en de la desta de la compansión de la comp	44 444 - 44 444 - 44 444 - 2 4 444 - 4 4 444 - 4 4 444 - 4 4 4 4
	1.00	4 11 5 12 10		
3 FINAL 9 FLAT	1			
FLUID	A.P.			
PRANE		William Birgar	A HIS CONTRACTOR	
S GAGES		1- 22		
* 8 HANDL	38.353			
9 HEADL	6H7	AL SOLL		
S HEIGH	r	84 PA) 1		AND THE RESERVE OF THE PERSON
HOIST	・線会議			
9 HOOK		1 361 1 361		1 \$2 \$441 \$2 \$145 \$2 40.5 \$2-40.5
ATENI &				
ATEN!	LATION 深点的			
3 instri 3 instri 3 inven	MENT	1- 13) i 2- 10 i	•	
		计操作标题 德 网络代	AND THE PERSON NAMED IN	
JACKE	1	15 line 16		3-10-1071 - 20-1812 - 24-1011
S LINES		註說 主談	1 2- 14,1 2- 25,1 2- 23,3 2- 20,	2 2- 10:1 1- 46:2 2- 39:1 2- 39:1
LOCK		11 131 7 11 11	2 13 1 14 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,
		24 50,1 24 44,1 - 44 28; 24 7,1 2- 39,	A second	
MECHA MECHA		2- 7,1 2- 39, 2- 7,1 2- 10,	1 2- 9:5 2- 31:1 2- 30:1 2- 39:	
. B METAL		1 47, i 1 46,		
				Commence of the Commence of th
n de ferre	-, 			فستمان المراجعين المناف المراجعين المناف المراجعين المناف
			i	
				·

MHS WORD CIST BY PAGE DATE 82014 1411 PAGE ile PERATING OPERATION OPERATOR OPERATOR OUTPUT 2: 2051 PARTS PARTS PEDAL PERFORM 20 1671 1 16 197 14 4911 - 20 6211 . • 24 10,1 34 23,1 35,1 PERFORMING POSITIONED POSITIONS POST 23 20, 1 REMOVE REPAIR REVERSE 2- 297 i 2- 16/ i SPINDLE TRUCK 2- 14/4 2- 33/1 1- 11:1 2- 11-1 TRUCK-TRACTO 1- 31/1 2- 33/6 VEHICLES 1. 1. 2. 3. 3. - March . . . 0 .0 Ġ


HEADQUARTERS HEADQUARTERS WHITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MONROE, VIRGINIA 23651



NEADQUARTERS UNITED STATES ARMY TRAINING AND DOCTRINE COMM

FORT MONROE, VIRGINIA 23651

9 SEB 1982



		20. 25. 36. 40. 45. 50. 55. 60.4.644.70. 75. 60. 65. 90. 95. 120 18 18 18 18 18 18 18 18 18 18 18 18 18 1	
STSPRINT SYSOUT STRINKOL	1/0	REPREC LECL BLRS 12E REM DSO UNIT VOLSER DSN 641 669 140 UNITARE	
SORTWKO3 SORTWKO4 SYSUDUMP	•	148 UZ WRK3 149 UAT WK2 148 MA PAPPI	
\$YSUT 1 \$YSUT2 SYSIN \$SDRT 60*	4341 	De tolla manda de tolla de tol	
			·
L <u></u>			
? :			
		· · · · · · · · · · · · · · · · · · ·	
	, L. 105	en de la companya del companya de la companya del companya de la companya del la companya de la	4-xis##
:			
		,	•

-...

MODE RETAILEYE

AND THE STATE OF THE STATE O • • 14. • 2.000 10 14. in Top line • Sale of the sale • 4, 40 THE STATE OF . 1 6 7 • Sec. 1. Ö 13 3 **L** ŝ **ن**'

The state of the s SIRS CHOKE . TRN TRN TRN TRN TRN TRN TRN 26 26 76 74 76 26 26 DIAL . 2 ELEVATING 9

R.S. INJECTION 9

2.3 INJECTION 9

3. INJECTION 9 Mary Control s - 1. * INSTALLEP

* INSTALLEP

* METER *

* METER *

* MO-LOAN *

* ATTERN * - 26 TRN 26 A CONTRACTOR OF THE SECOND 128 363 TRN TRN TRN 26 24 -24 3 PREFORMED + 3 RELIEF + 2 RESISTANCE + TRN 26 26 TRN
SRN
FRM
TRN
SRN
TRN
FRN
FRN
TRN
FRN
FRN
FRN
FRN 2 RESISTANCE 0

3 SHUTDEF 0

4 SOFT-JAMED 0

5 STRINE 0

2 SYMBOL 0

1 TCC 0

1 THING 0

1 VACUUM/PRESSIRE

1 VACUUM/PRESSIRE

1 WALUE

3 MORMGEAR 26 26 26 26 26 130 SA 1484 SA 7 26 26 26 26 26 26 7 14 7 2617 MASTER READ TRANS READ 9 UPDATED RECOPDS BLES128 BLRS 128 13 19,1 . þ 'n

WER 1 648	R.OS-(1:29achia) DCG PARM MISS MG-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T	il de la companya de	·
WERD36B WERD36B WERD36B	SECONOMITE EXTENSES		
₩ER1638 ₩ER0378 ₩ER1771	JRCKS PRIM-00074015 RC+000001 REL+00000		
#ER045C	G 1 1544 TURNARDUNG SORT PERFECTOR END SORT PH FILEST/E 1.824 BYTES PCD IN 57, DUT 57		
	PCD IN 57, DUT 57 TPF'S APPLIED 1214 EVD SYNCSOAT 50 C-11 THE DIBYISTEPS F		
841			
		1 - 1	
611		A STATE OF THE STA	
erge s			
•			
	See the grant		
•			
igga s			
4	and the second s		
, j. 	· · · · · · · · · · · · · · · · · · ·		
			•
		•	
_	and the second s	the second s	35-6-4
in additional and the second	• • • • • • • • • • • • • • • • • • • •	•	1
!			
;			į
		•	į

r.

*

051015-			505540		80ks9n9	5100		
EADERZ ' ' TO 1 F EOJ WZ ENDRIN	i i	Y PAGE 118 30	<u></u>	Control of the contro	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	بهرو د بغیری بعد ب کاما شده د		
<u>e 2 gt "ef" gob</u> F \$411N = 1 MOV OVE 1 to 1,1 MO	F 1 TO H	1,23 MOVE SPACE TO 1,13	Act	1.44 (A. 1.4				
E.1 ME H1.23 W2 TWE 24 TO 29.9 F R28 = 1 1 MOV	HOVE L T	A <u>ce to 1:132-move 1.to.</u> O H1:23 GDBACK	L-1_MOVE_2_TE	1122				
RAB . MOV	E 24 TO		. [1] \$48.8		- NA 410			
858 = MOV 868	E 24 TO E 24 TO	5819 BOSACT ALL	1000					
F 888 = ' ' MUV	F 24 TO	BB. 9 GOBACK				·····		
F R108 = " " NO F R118 = " " NO	VE 24 TO	lers bother			ALL WIN	• • • •		
DVE SPACE TO 1. DVE 24 10 28.9								
INCODE 364	*	TARBUTANT LOT IS FUL	WORDS	RETURN SO				
	9		2013 II B		2.35 Quarter 1. 10.35 p.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		***
	弹入		न शुक्रास्त १९					
. 	- 1							
		The state of the s						
	<u> </u>		<u> </u>			-	#*************************************	
•••								
				. Angle (Aggres) des la grande de para para la paración	and the second of the second of			
	 ;							· · · · · · · · · · · · · · · · · · ·
		· · · · · · · · · · · · · · · · · · ·			;			
	· .				•		4	
	•	en e						

" TYPE RICHRO PY"ES TAN REPREC LACEL BERSIZE REM OSO UNIT VOLSER 0 32 3136 FB PS 140 UATAR3 0 133 131 FM PS 66A SYSPRINT SYSUDUMP SYSUTI \$Y\$82014.T070914.RYOND.TMFRDI D7.PP 141 \$Y\$82014.T070914.RYOND.TMER.01D7.P0000022 SYSUT 2 SYS IN 606 606

. .

2.73 ACCUMILATOR
CAM
CAMSHAFT
COMPRESSION
CRANK SHAFT
PISTON Tieffit W and the same 2- 70.3 2- 69.3 2- 69.3 2- 90.1 2- 86.10 2- 86.10 2- 93.1 2- 75.1 2- 75.1 2- 75.1 2- 75.1 2- 78.1 STID

TREUBLESHOOT

TURBOCHARGED

WALVES

AUTOMATIC
CLECKWISE

GUINTERCLICKWI


RATIO And the second 2- 76, 1 2- 80, 1 SEQUENCE SLEEVE SHAPRINGS TESTEP 2- 71.1 OFTECT ED EXTRACTOR FARRICATED than it. FARRICATED
LINITER
LOCKNUT
MALFUNCTIONS
MILITFHEL
MICKS
NO 221 F
PLUMGER
PREVENTIVE
STATIC
TAPPET 2- 96. 2- 92. 2- 92. TAPPETS TAPPETS WORMSHAFT EXIENSION **用现的**自己 GREASE INDICATING 2- 73, 1 2- 96, 1 RPM
SCRATCHES
SPACERS
CONCENTRICITY
FORKLIFT 2- 92,2 2- 86,1 9 ---O į . Š b • ပ

neabquarters

ATA CONTROL HUMBER JEB NO PROJECT NO

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651



DATE FILMED